

Equipment PM & Breakdown Log

उपकरण PM / ब्रेकडाउन लॉग

Code: EQUIP_PM_001 · Equipment · Adhoc · FSMS — HACCP / FSSAI compliance record

LOGO

(affix / print here)

Outlet / Kitchen: _____ Date: _____ Shift / Meal: _____

WHY / PURPOSE	Preventive maintenance schedule adherence and breakdown incidents. Refrigeration failures link to cold-chain CAPA.
	प्रीवेंटिव मेटेनेंस + ब्रेकडाउन रिकॉर्ड — फूड सेफ्टी से जुड़े उपकरण।
REQUIRED BY	FSSAI Schedule 4, cl. 8.2 (records retention)
	कौन भरे: इंजीनियरिंग / सुपरवाइज़र

#	Equipment ID / asset tag	Equipment name (e.g. Walk-in chiller 1)	Event type	Date of event	What was found / done	Any food product impacted (e.g. chiller failure)	Shift lead PIN (verification)	Init.	CA#
1									
2									
3									
4									
5									
6									

One row = one entry / batch. Record the value or tick each column. Note any fail in the Corrective Action Log and reference its CA#.

Corrective Action Log — record any out-of-range / fail here and write its CA# beside the reading in the grid.

CA#	Date	Item / Area	Problem found	Corrective action taken	By

Recorded by: _____ Verified by / Supervisor: _____ Date: ____ / ____ / ____

EQUIP_PM_001 · FSMS – Culirect · Blank master for manual logging

Retain 1 year or the food's shelf-life, whichever is longer (FSSAI Schedule 4, cl. 8.2). Any 'Out' / 'Fail' → corrective action + supervisor review.